



## JUNTAS DE GOMA TIPO 2 PN 16

DN	D1	D2	D3	DT	R1	A° (angle)	R2	r3	r4
15	50	20	14	45.96	32.5	90°	46.5	13.0	45.5
20	60	25	14	53.03	37.5	90°	51.5	13.0	50.5
25	70	30	14	60.10	42.5	90°	57.5	13.5	-
32	81	38	18	70.71	50.0	90°	73.0	16.0	-
40	91	45	18	77.78	55.0	90°	75.0	17.0	-
50	106	57	18	88.39	62.5	90°	82.5	18.0	-
65	126	76	18	102.53	72.5	90°	93.5	18.0	90.5
80	140	91	18	61.23	80.0	45°	102.0	18.0	-
100	160	108	18	68.88	90.0	45°	116.5	18.0	-
125	190	133	18	80.36	105.0	45°	137.0	21.0	-
150	216	159	22	91.84	120.0	45°	148.5	21.0	-
175	246	193	22	103.32	135.0	45°	163.0	19.0	154.0
200	271	222	22	76.35	147.5	30°	196.0	30.0	-
250	327	277	26	91.88	177.5	30°	232.5	24.5	202.0
300	382	328	26	106.12	205.0	30°	241.0	20.0	225.0
350	442	360	26	91.69	235.0	22,5°	272.0	20.0	255.0
400	493	412	30	102.42	262.5	22,5°	343.5	36.0	-
450	553	463	30	91.51	292.5	18°	324.0	25.0	-
500	615	514	33	101.68	325.0	18°	350.0	25.0	-

**Espesor:** 3 mm (parte ranurada)  
2 mm (parte lisa)